


AERODROME CHART - ICAO

ARP 245506N
0551032E

AD ELEV 171 FT



See OMDW AD 2.8.1 for Apron Details

See OMDW AD 2.8.2 for Taxiway Details

ATS COMMUNICATION FACILITIES			
SERVICE	CALL SIGN	CHANNEL(S)	REMARKS
APP	AL MAKTOUM RADAR	124.025 MHz (PRI) 126.025 MHz (SRY)	EMERG 121.500 MHz
	DUBAI DEPARTURES NORTH	124.675 MHz (PRI)	EMERG 121.500 MHz
	DUBAI DEPARTURES SOUTH	120.250 MHz (SRY) 121.025 MHz (PRI)	EMERG 121.500 MHz
	MINHAD APPROACH	122.500 MHz (PRI) 126.025 MHz (SRY)	EMERG 121.500 MHz
	DUBAI SOUTH RADAR	120.400 MHz (PRI) 126.025 MHz (SRY)	EMERG 121.500 MHz See OMDW AD 2.18
	TWR	AL MAKTOUM TOWER	118.625 MHz (PRI) 118.725 MHz (SRY)
GND	AL MAKTOUM GROUND	118.375 MHz (PRI) 118.725 MHz (SRY)	EMERG 121.500 MHz See OMDW AD 2.18
	D-ATIS	AL MAKTOUM INTERNATIONAL	126.475 MHz DEP 123.175 MHz ARR
EFTA TWR	ACADEMY TOWER	118.775 MHz (PRI) 119.000 MHz (SRY)	EMERG 121.500 MHz
EFTA APRON	ACADEMY APRON INFORMATION	118.700 MHz	EMERG 121.500 MHz

LEGEND	
RVR	
ILS - GP, LOC	
DME	
LGTD WDI	
Buildings	
IHP	
IHP Designator (Full Stopbar)	
IHP Designator (Yellow Lights)	
RWY HLDG PSN Designator	
RWY HLDG PSN Pattern A	
RWY HLDG PSN Pattern B	
AD Boundary	
Airside/Landside Gate	
Stand CODE C	
Stand CODE D	
Stand CODE E	
Stand CODE F	
ATC Service Boundary	
Traffic Direction	
TWY Incursion Hot Spot Areas	
RWY Incursion Hot Spot Areas	

RWY DESIGNATION	DIRECTION	DIMENSION OF RWY (M)	STRENGTH (PCR) AND SURFACE OF RWY
12	119°	4500 x 60	850/F/A/X/T
30	299°	4500 x 60	850/F/A/X/T

CHANGES: Added MEHT. Editorial.